

Go ahead, indulge



## GenesisULBlower

The Ideal Whirlpool Blower


- 3-speed models
- Automatic dry-out of air system
- Electronic and pneumatic models
- Excellent performance
- Silent running
- UL recognized



**BALBOA**  
water group

# WhirlpoolBlower

A unique combination of standard of standard and sophisticated features. The Genesis UL Blower is developed with a focus on design and function with continuous improvement. Enhanced with an excellent performance level, silent running, multiple features and reliability. The ideal blower for whirlpools and spas. Complete with power Options 500W and 700W, with voltage Options 120V, 60Hz.



Dimensions in mm.

## FeaturesOptions

FEATURES	
NNE	Electronic on/off blower, no EMC approval
ANE	Pneumatic on/off blower, no EMC approval
NHE	Electronic on/off blower with built-in heating element to reduce cold air in upstart, no EMC approval
AHE	Pneumatic on/off blower with built-in heating element to reduce cold air in upstart, no EMC approval
ANT*	Pneumatic 3-speed blower. With variable massage mode and automatic dry-out of air system. To be used with one standard pneumatic button. See functional descriptions under "AHT"
AHT*	Pneumatic 3-speed blower with built in heating element to reduce cold air in upstart. With variable massage mode and automatic dry-out of air system. To be used with one standard pneumatic button. Functional description for "ANT" and "AHT": 1. First press = high speed 2. Second press = medium speed 3. Third press = low speed 4. Fourth press = massage mode "pulsating effect" 5. Fifth press = off Automatic safety stop after 30 minutes


POWER OPTION		PACKING OPTION
50	500W	S = SINGLE PACKED
70	700W	B = BULK PACKED
VOLTAGE OPTIONS		SPECIAL APPROVALS
1	120V, 60HZ	UL = UL RECOGNIZED

# Model Overview

500W					
PART NUMBER	HEATER W	TOTAL W	V/Hz	PNEU.	3-SPEED PROGRAMME
GB50-1NNE-S-UL		500W	120V/60Hz		
GB50-1ANE-S-UL		500W	120V/60Hz	X	
GB50-1NHE-S-UL	250W	750W	120V/60Hz		
GB50-1AHE-S-UL	250W	750W	120V/60Hz	X	
GB50-1ANT-S-UL		500W	120V/60Hz	X	X
GB50-1AHT-S-UL	250W	750W	120V/60Hz	X	X

700W					
PART NUMBER	HEATER W	TOTAL W	V/Hz	PNEU.	3-SPEED PROGRAMME
GB70-1NNE-S-UL		700W	120V/60Hz		
GB70-1ANE-S-UL		700W	120V/60Hz	X	
GB70-1NHE-S-UL	250W	950W	120V/60Hz		
GB70-1AHE-S-UL	250W	950W	120V/60Hz	X	
GB70-1ANT-S-UL		700W	120V/60Hz	X	X
GB70-1AHT-S-UL	250W	950W	120V/60Hz	X	X

## Thinking Systematically



We can offer you complete air jet systems, electronics, lights and disinfection for whirlpools and spas.


Use the Genesis blower range for massage areas in spas and swimming pools.

### EASY INSTALLATION

Open the bottom of the blower by loosening the two screws at the back. Mount the bottom part of the blower onto the "mounting frame" with screws through the rubber feet. Position the blower body onto the bottom part and tighten the screws. The uni-directional port enables you to install the Genesis blower where space is limited.




# ConnectionSystem



## SAFETY GUIDELINES

To avoid back-wash of water into the blower, always install a double airloop and check valve on the water side of the airloop, so that the piping is above water level twice. The blower is not to be mounted directly on the floor for safety reasons.

## PerformanceCurve



BLOWER1010

© 2010 HydroAir International. A Division of Balboa Water Group. All rights reserved.  
Roustvej 50 | DK-6800 Varde | p +45 75 22 46 88 | www.hydroair.dk